




COVES





CONCAVE PROFILE:
USED AT CORNERS,
PARTICULARLY AS A
CEILING CORNICE.





SMALL COVES
MAY BE USED
AS AN INSIDE
CORNER GUARD.

QUARTER ROUNDS





QUARTER ROUNDS MAY BE USED
AS A BASE SHOE, INSIDE CORNER
MOULDING, OR TO COVER ANY
90° RECESSED JUNCTURE.

BASE SHOES




BASE SHOES:
APPLIED WHERE BASE MOULDING
MEETS FLOOR. PROTECTS BASE FROM
DAMAGE. CONCEALS UNEVEN LINES OR
CRACKS WHERE BASE MEETS FLOOR.

SHELF EDGE/SCREEN MOULD




SCREEN MOULD:
COVERS SEAM
WHERE SCREENING
IS FASTENED TO THE
SCREEN FRAME.




SHELF EDGE:
ALSO COVERS
PARTICLE OR
FLAKEBOARD
SHELF EDGES.



CROWNS



CROWNS:
USED WHERE WALLS & CEILING
MEET. USED TO COVER LARGE
ANGLES. ALWAYS SPRUNG.




BEDS



BEDS: USED WHERE WALLS & CEILING
MEET. EITHER SPRUNG OR PLAIN.


PANEL MOULDS




SCREEN/S4S STOCK

- TM 246A**
1/2" x 3"
- TM 246**
11/16" x 2-3/4"
- TM 246**
11/16" x 2-3/4"
SOLID PINE ONLY
- TM 248 ***
11/16" x 1-3/4"
- TM 254 ***
1/2" x 3/4"


SCREEN/S4S STOCK:
SAME BASIC USES
AS SQUARES.




BRICK MOULD



BRICK MOULD:
USED AS AN EXTERIOR DOOR AND
WINDOW CASING. A THICK MOULDING
PROVIDES A SURFACE FOR BRICK OR
OTHER SIDING TO BUTT AGAINST.




HAND RAIL




TM 231
1-1/2" x 1-11/16"
SOLID FIR ONLY — 1 JOINT

HAND RAIL:
USED AS A HAND SUPPORT
IN A STAIRWELL.




ROUNDS




TM 233
1-5/16"
SOLID FIR & FJ


ROUNDS:
MOST OFTEN USED AS A CLOSET
POLE OR ROOM DIVIDER.




CORNER GUARDS



CORNER GUARDS:
OUTSIDE (OS) CORNER
GUARD IS USED TO
PROTECT CORNERS OR
TO COVER RAGGED EDGE
WHERE WALL COVERING
AND PAINTED SURFACES
MEET AT OUTSIDE CORNER.




WAINSCOT/PLY CAP



TM 292 *
9/16" x 1-1/8"

PLY CAP:
TURNS OUT THE UPPER EDGE OR TOP OF A WAINSCOT. COVERS PLYWOOD'S ROUGH SANDWICH EDGE IN INSTALLATIONS WHERE IT IS EXPOSED TO VIEW. ALSO CALLED A DADO CAP.



LATTICE




TM 265 *
9/32" x 1-3/4"

TM 267 *
9/32" x 1-3/8"

TM 268 *
9/32" x 1-1/8"


LATTICE: ORIGINALLY USED IN TRELLIS WORK. THIS SMALL, PLAIN S4S MOULDING IS AMONG THE MOST VERSATILE OF PROFILES.



T-ASTRAGALS




TM 1300 — 1-3/4"
1-1/4" x 2-1/4" x 7'
SOLID PINE ONLY



TM 1305 — 1-3/8"
1-1/4" x 2" x 7'
1-1/4" x 2" x 8'
SOLID PINE ONLY

T-ASTRAGALS: AN ASTRAGAL, T-LIKE IN SHAPE, IS RABBETED TO THE APPROXIMATE THICKNESS OF THE SWINGING DOOR.



CHAIR RAIL




TM 390 *
11/16" x 2-1/2"



TM 391
9/16" x 1-3/4"

CHAIR RAIL: INTERIOR MOULDING APPLIED ABOUT ONE THIRD UP FROM THE FLOOR, PARALLELING BASE MOULDING AND ENCIRCLING THE ROOM. ORIGINALLY USED TO PREVENT CHAIRS FROM MARRING WALLS. USED TODAY AS A KEY DECORATIVE DETAIL IN TRADITIONAL AND COLONIAL DESIGN.



STOPS



TM 887
11/32" x 1-1/4"



TM 937 *
7/16" x 1-1/4"



TM 886 *
3/8" x 1-3/8"



TM 916 *
3/8" x 1-3/8"




TM 817
7/16" x 1-1/4"



TM 877
7/16" x 1-1/4"

STOPS: IN DOOR TRIM, STOP IS NAILED TO THE FACES OF THE DOOR FRAME TO PREVENT THE DOOR FROM SWINGING THROUGH. AS WINDOW TRIM, STOP HOLDS THE BOTTOM SASH OF A DOUBLE-HUNG WINDOW IN PLACE. ALSO USED AS AN APRON UNDER WINDOW STOOLS.




CHAMFER STRIP



TM 995
3/4" x 3/4"
SOLID FIR ONLY

CHAMFER STRIP: USED IN HIGHWAY AND DAM CONSTRUCTION FORMS, MAKING A CHAMFERED EDGE AT CONCRETE CORNERS. ALSO USED WHERE KITCHEN CABINET TOPS MEET THE WALL. ALSO USED AS A LINOLEUM COVE (UNDER LINOLEUM WHERE IT EXTENDS UP THE WALL.)



CASING

CASING: USED TO TRIM INSIDE AND OUTSIDE DOOR AND WINDOW OPENINGS.



TM 321
11/16" x 2-1/4"



TM 327 *
11/16" x 2-1/4"



TM 328
9/16" x 1-5/8"



TM 346 *
5/8" x 2-1/4"



TM 356 *
11/16" x 2-1/4"



TM 972
3/8" x 2"



TM 473
9/16" x 2-1/4"



TM 311
5/8" x 2-1/4"



TM 312 *
5/8" x 3"



TM 380 *
11/16" x 2-1/4"



TM 381
11/16" x 1-5/8"




TM 245
11/16" x 3"



TM 037
9/16" x 3-1/4"

BASE MOULDINGS



TM 444 *
11/16" x 3-1/4"



TM 623 *
9/16" x 3-1/4"



TM 620
9/16" x 4-1/4"



TM 726 *
9/16" x 2-1/4"



TM 145 FJ
9/16" x 5"



TM 713 *
9/16" x 3-1/4"



TM 739
9/16" x 4-1/4"



TM 730 *
9/16" x 3-1/4"



TM 733
9/16" x 2-5/8"



TM 735
9/16" x 2-1/4"



TM 512
9/16" x 5-1/4"

TM 414 *
9/16" x 4-1/4"



TM 411
9/16" x 3-1/4"

BASE MOULDINGS: APPLIED WHERE FLOOR AND WALLS MEET, FORMING A VISUAL FOUNDATION. PROTECTS WALLS FROM KICKS, BUMPS, FURNITURE, ETC. BASE MAY BE REFERRED TO AS ONE, TWO, OR THREE-MEMBER. BASE SHOE AND BASE CAP ARE USED TO CONCEAL UNEVEN FLOOR AND WALL JUNCTIONS.



ADDITIONAL LINEAR MOULDINGS, JAMBS, AND FRAMES IN STOCK:

- 5-1/4" AND 7-1/4" EXTERIOR FRAME STOCK
- 4-5/8" INTERIOR FRAME STOCK
- F/J S4S 1"x4" 1"x6" 1"x8" 1"x12"
- HEM FIR 4-9/16" INT. JAMB
- SOLID PINE INT. JAMB 4-5/8", 4-7/8", 5-1/4", 6-5/8", 7-1/4"
- SOLID PINE EXT. JAMB 4-5/8", 5-1/4", 7-1/4"
- SOLID PINE VENEER INT. 4-5/8"

SOLID OAK MOULDINGS



OUTSIDE CORNER



JAMBS




ALSO AVAILABLE:

Oak S4S 1" x 4" 1" x 6" 1" x 8" 1" x 12"

CROWN

TM 51
9/16" x 3-1/4"



QUARTER ROUND



TM 105
3/4" x 3/4"
x 8'


TM 108 *
1/2" x 1/2"
x 8'

TM 110
1/4" x 1/4"
x 8'


COL. CAP



BASE SHOE



COVE



SCREEN MOULD




STOP



SOLID OAK MOULDINGS

BASE MOULDINGS



BASE MOULDINGS: APPLIED WHERE FLOOR AND WALLS MEET, FORMING A VISUAL FOUNDATION. PROTECTS WALLS FROM KICKS, BUMPS, FURNITURE, ETC. BASE MAY BE REFERRED TO AS ONE, TWO, OR THREE-MEMBER. BASE SHOE AND BASE CAP ARE USED TO CONCEAL UNEVEN FLOOR AND WALL JUNCTIONS.

CASING



OAK VENEERED MOULDINGS

BASEBOARD



TM 623
9/16" x 3-1/4"

TM 636
3/8" x 2-1/2"



TM 730
9/16" x 3-1/4"*



TM 444
11/16" x 3-1/4"

TM 412 •
9/16" x 4-1/2"



CASING



TM 357
11/16" x 2-1/8"



TM 356
1/2" x 2-1/4"



TM 324
1/2" x 2-1/4"



TM 444
11/16" x 3-1/4"




TM 312
11/16" x 3"



TM 380
5/8" x 2-1/4"

FLAT JAMBS

11/16" x 4-5/8" x 6'8" / 7'
11/16" x 4-7/8" x 6'8" / 7'
11/16" x 5-1/4" x 6'8"



HIGH DENSITY PARTICLE BOARD CORE

STOP



TM 877
3/8" x 1-1/4" x 7'0"

ALSO AVAILABLE OAK VENEERED • 11/16" x 7-1/2" OV INT / TRIMMABLE



HIGH DENSITY PARTICLE BOARD CORE

PRIMED MDF MOULDINGS (MEDIUM DENSITY FIBERBOARD)

BASE MOULDINGS

CONTINUED ON PAGE 14



TM 414
12MM x 4-1/4"



TM 730
12MM x 3-1/4"



TM 411
14MM x 3-1/4"



TM 623
12MM x 3-1/4"



TM 444
15MM x 3-1/4"



TM 514
12MM x 5-1/4"



TM 218
14MM x 5-1/4"



TM 618
14MM x 5-1/4"



TM 145
14MM x 5"





TM 313
14MM x 7-1/4"



TM 512
14MM x 5-7/8"



TM 680
14MM x 5-7/8"



BASE MOULDINGS: APPLIED WHERE FLOOR AND WALLS MEET, FORMING A VISUAL FOUNDATION. PROTECTS WALLS FROM KICKS, BUMPS, FURNITURE, ETC. BASE MAY BE REFERRED TO AS ONE, TWO, OR THREE-MEMBER. BASE SHOE AND BASE CAP ARE USED TO CONCEAL UNEVEN FLOOR AND WALL JUNCTIONS.

BASE — CONTINUED FROM PAGE 13



TM 677
14MM X 5-3/4"

WINDOW STOOL

WINDOW STOOL
5/8" x 4-3/4"
5/8" x 7-1/4"




FLAT JAMBS

5/8" x 4-5/8" x 6'8" (PRIMED)
5/8" x 4-7/8" x 6'8" (PRIMED)



CHAIR RAIL

TM 390
5/8" x 2-5/8"



TM 51
14MM X 3-1/4"



TM 45
14MM X 5-1/4"



TM 305
1" X 8"



CROWN

TM 48
14MM X 4-1/4"



CASING



TM 037
14MM X 3-1/4"



TM 311
15MM X 2-1/4"



TM 312
15MM X 3"



TM 356
15MM X 2-1/4"



TM 353
14MM X 3-1/4"



TM 380
15MM X 2-1/4"



TM 245
11/16" X 3"




TM 388
11/16" X 3-1/4"



TM 357
7/16" X 2-1/8"



TM 346
14MM X 2-1/4"




CASING: USED TO TRIM
INSIDE AND OUTSIDE DOOR
AND WINDOW OPENINGS.



TM 318
14MM X 3-1/4"



TM 323
14MM X 3-1/4"



TM 377
14MM X 3-1/4"

PRIMED MDF MOULDINGS (MEDIUM DENSITY FIBERBOARD)

HEADERS



RB3
1-1/4" x 3-3/4"




RB4
1-1/4" x 5-1/8"

MDF S2S BOARDS (MEDIUM DENSITY FIBERBOARD)

TM 246	HOOK STRIP	1/2" x 3"	RAW	1 x 4	S4S	3/4" x 3-1/2"	RAW
1 x 2	E2E	5/8" x 1-1/2"	PRIMED	1 x 6	S4S	3/4" x 5-1/2"	RAW
1 x 4	E2E	5/8" x 3-1/2"	PRIMED	1 x 8	S4S	3/4" x 7-1/4"	RAW
1 x 6	E2E	5/8" x 5-1/4"	PRIMED	1 x 12	S4S	3/4" x 11-1/4"	RAW
1 x 4	E2E	3/4" x 3-1/2"	PRIMED				
1 x 6	E2E	3/4" x 5-1/2"	PRIMED				
1 x 8	E2E	3/4" x 7-1/4"	PRIMED				
1 x 12	E2E	3/4" x 11-1/4"	PRIMED				

FINGER JOINT MOULDINGS

HEADERS



FJ / RB 4
1-3/8" x 5-1/4"



FJ / RB 5
1-3/8" x 5-1/4"



FJ / RB 3
1-1/16" x 3-1/2"

FINGER JOINT



KNOTTY ALDER MOULDINGS

KNOTTY ALDER MOULDINGS



160-3
5/8" x 3-1/4"



400
5/8" x 2-3/8"



47
5/8" x 4-14"



TM 412
9/16" x 4-1/2"



TM 312
11/16" x 3"



TM 514
9/16" x 5-1/4"



TM 311
11/16" x 2-1/4"




161-5
1/2" x 5-1/4"

ALSO AVAILABLE:

4-5/8" x 8'	INTERIOR JAMBS
6-5/8" x 8'	INTERIOR JAMBS
4-5/8" x 8'	EXTERIOR JAMBS
6-5/8" x 8'	EXTERIOR JAMBS
1/2" x 1-5/8"	877 STOP 8'
1/2" x 1-5/8"	937 STOP 8'
1-1/4" x 2"	180 BRICKMOLD 8' AND 10'
1-1/4" x 2-3/4"	ASTRAGAL 8'
1-3/8"	ASTRIGAL 8'
1-3/4"	ASTRIGAL 8'
1" x 6'	ALDER BOARDS
1" x 8'	ALDER BOARDS

KNOTTY ALDER MOULDINGS



RB 4
1-5/16" x 5-1/4"



TM 245
11/16" x 3"



TM 388
11/16" x 3-1/4"



TM 51
9/16" x 3-1/4"



TM 301
11/16" x 3-1/4"



TM 145
9/16" x 5"




TM 680
9/16" x 5-7/8"



TM 511
9/16" x 5-1/4"

MOULDING ACCESSORIES


CORNER BLOCKS BULLSEYE DESIGN



EASED EDGES

ALSO AVAILABLE IN MDF, POPLAR, AND ALDER


PLINTH BLOCKS




3-1/2" WIDTH

1-1/8" THICK


PYRAMID CORNER BLOCKS



SOFT OUTSIDE UNIVERSAL RADIUS CORNER



SQUARE OUTSIDE UNIVERSAL



INSIDE UNIVERSAL

3/4" RADIUS CORNERS • THESE ARE JUST A FEW OF THE PROFILES WE STOCK. WE CAN MATCH ANY MOULDING PROFILE IN THE ABOVE WOODS.




CHAIR RAIL MOULDING

SQUARE INTERNAL CORNER



3/4" RADIUS CORNERS



SQUARE EXTERNAL CORNER

PATTERNS: TM 390

- UNIVERSAL TM 145
- TM 356
- TM 400
- TM 411
- TM 414
- TM 444
- TM 512
- TM 730
- TM 300
- TM 739
- TM 623

SOME PATTERNS AVAILABLE IN MDF • TM 145, TM 218, TM 313, TM 411, TM 414, TM 444, TM 512, TM 514, TM 623, TM 618, TM 677, TM 680, TM 730

FLEXIBLE MOULDING

ITEM No.	DESCRIPTION	IN STOCK
522380	CH24 TM380 COL. CASING	YES
523380	CH36 TM380 COL. CASING	YES
524380	CH48 TM380 COL. CASING	YES
525380	CH60 TM380 COL. CASING	YES
526380	CH72 TM380 COL. CASING	YES

528730	STRAIGHT TM730 COL. BASE 8 FT.	YES
520730	STRAIGHT TM730 COL. BASE 10 FT.	YES
522730	STRAIGHT TM730 COL. BASE 12 FT.	YES

522312	CH24 312 COL. CASING	YES
523312	CH36 312 COL. CASING	YES
524312	CH48 312 COL. CASING	YES
525312	CH60 312 COL. CASING	YES
526312	CH72 312 COL. CASING	YES

ITEM No.	DESCRIPTION	IN STOCK
528412	STRAIGHT 414 COL. BASE 8 FT.	YES
520412	STRAIGHT 414 COL. BASE 10 FT.	YES
522412	STRAIGHT 414 COL. BASE 12 FT.	YES
522404	3/4" x 3-1/2" WM 1x4 S4S 12/0	YES
522406	3/4" x 5-1/2" WM 1x6 S4S 12/0	YES

SOME ARCHES AND STRAIGHT PIECES ARE AVAILABLE IN TM380 AND TM312 PROFILES AS A STOCKING ITEM.

CALL TRIMCO FOR SIZES!